kitchen technique

www.newmatic.com



NEWMATIC COLLECTION

PRO SERIES	01
RANGE HOOD	03
COOKTOP	07
OVEN & MICROWAVE	13
KITCHEN SINK & TAP	17
COFFEE MACHINE	21
KITCHEN ORGANIZER	23
COUNTER TOP	33
SPLASHBACK	34
BUILDER SERIES	35
DISHWASHER	39
CONTACT	40

PIONEERING SUSTAINABILITY, LEADING THE FUTURE

Newmatic proudly holds the Asia-Pacific Green Deal Green Badge, recognizing our commitment to sustainable practices and leadership in environmental responsibility. By aligning our operations with global ESG principles, we are driving positive change and contributing to a greener, more resilient future.

PROFESSIONAL



Intelligent Control Wall Hood

H66.9V-PRO

A+

Features
90cm T-shaped chimney hood
Voice, gesture & sliding control
Stainless steel baffle filters
Charcoal filter

Specifications
Lighting: Strip LED lamp 2 x 2W
Motor input power: 150W inverter
Air flow: 1200m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽52dB(A)




Built-in Electric Oven

FM6133T-PRO

A+

Features
72L built-in multifunction oven
Grill & air fryer
Touch control with LED display
Tangential cooling system
Full glass inner door
Triple coated glass door
Total power 2900W
AC220V/50Hz
Enamel baking tray
Grill rack






Built-in Microwave Oven

32EPS-PRO

Features
32L built-in microwave oven
Touch control panel
Microwave & Grill function
Stainless steel cavity
LED display






60cm Built-in Gas & Induction Hob

PM622FC-PRO

Features
Full ceramic glass
Full brass, all multi-ring burners
Super heavy duty cast iron trivets
Auto-ignition by electricity
Flame failure device (FFD)
Titanium alloy knobs & spacer
Sensor touch control
9-stage adjustable cooking power
99-minute digital timer
Residual heat indicator
Child safety lock
Freezone induction, boost function

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.8kW
1 x Auxiliary burner 1.0kW
Front left: ϕ180mm, 1500 / 1800W
Rear left: ϕ180mm, 2000 / 2300W
Flex zone: 2500/2800W







90cm Built-in Gas & Induction Hob

PM942FC-PRO

Features
Full ceramic glass
Full brass, all multi-ring burners
Super heavy duty cast iron trivets
Auto-ignition by electricity
Flame failure device (FFD)
Titanium alloy knobs & spacer
Sensor touch control
9-stage adjustable cooking power
99-minute digital timer
Residual heat indicator
Child safety lock
Freezone induction, boost function

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.8kW
1 x Rapid burner 2.4kW
1 x Semi-rapid burner 1.8kW
1 x Auxiliary 1.0kW
Front left: ϕ180mm, 1500 / 1800W
Rear left: ϕ180mm, 2000 / 2300W
Flex zone: 2500/2800W






90cm Built-in Gas Hob

PM950STX-PRO

Features
304 stainless steel top
Super heavy duty cast iron trivets
High power 3.8kW, triple ring burner
Battery ignition (1.5V)
Flame failure device (FFD)
Titanium alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.8kW
1 x Rapid burner 2.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW





RANGE HOOD

Newmatic

BENEFITS



HEALTHY ENVIRONMENT

Expels potentially carcinogenic combustion fumes and food odour from the home.



ENERGY SAVING

All NEWMATIC hoods are equipped with LED lamps. that will last 35,000 hours.



POWERFUL PERFORMANCE

NEWMATIC cooker hoods are fitted with fully metallic motors that carry a 5-year warranty.



SAFETY AND QUALITY ASSURED

All NEWMATIC cooker hoods come with tempered glass lifetime warranty.



90cm Tempered Glass & Stainless Steel Wall Hood

H77.9P

Features
90cm glass wall hood
3-speed push button control
5-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 2 x 1.5W
Motor input power: 138W
Air flow: 760m³/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Tempered Glass & Black Finish Wall Hood

H77.9PB

Features
90cm glass wall hood
3-speed push button control
5-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 2 x 1.5W
Motor input power: 138W
Air flow: 760m³/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Tempered Glass & Stainless Steel Wall Hood

H76.9S

Features
90cm curved glass wall hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters

Specifications
Lighting: Strip LED lamp 2 x 2W
Motor input power: 138W
Air flow: 760m³/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)

WALL HOOD

WALL HOOD



60cm Stainless Steel Wall Hood

H64.6S

Features
60cm stainless steel T-shaped wall hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters
Easy to clean glass control panel

Specifications
Lighting: LED lamp 2 x 1.5W
Motor input power: 138W
Air flow: 760m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Stainless Steel Wall Hood

H64.9S

Features
90cm stainless steel T-shaped wall hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters
Easy to clean glass control panel

Specifications
Lighting: LED lamp 2 x 1.5W
Motor input power: 138W
Air flow: 760m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Tempered Glass Robotic Wall Hood

H86.9S

Features
90cm robotic wall hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters
Charcoal filters are included

Specifications
Lighting: Strip LED lamp 2 x 1.5W
Motor input power: 138W
Air flow: 760m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



60cm/90cm Stainless Steel Slim Hood

H18.6S / H18.9S

Features
60cm / 90cm stainless steel under cabinet hood
3-speed touch control with delay timer
3-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 1 x 2W (H18.6S)
LED lamp 2 x 2W (H18.9S)
Motor input power: 2 x 50W
Air flow: 550m^3/h
Outlet diameter: ϕ125mm
Noise level: ⩽58dB(A)



90cm Stainless Steel Island Hood

H97.9S

Features
90cm glass island hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters
Easy to clean glass control panel
Stainless steel seamless chimney

Specifications
Lighting: LED lamp 2 x 2W
Motor input power: 138W
Air flow: 760m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Stainless Steel Island Hood

H94.9S

Features
90cm stainless steel T-shaped island hood
3-speed touch control with delay timer
5-layer washable aluminum grease filters
Easy to clean glass control panel

Specifications
Lighting: LED lamp 4 x 1.5W
Motor input power: 138W
Air flow: 760m^3/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)

ISLAND HOOD

A Symphony of East & West

NEWMATIC gas hobs are designed and manufactured to meet European specifications. The configurations, dimensions & safety levels are based on British standards. At the same time, the cook tops are robust and energy-efficient to exceed the demands of African kitchens.



COOKTOP



Zinc Alloy Knobs & Spacer

Zinc Alloy Knobs are superior to plastic knobs in resisting heat stress and aging. The spacer prevents foreign objects from entering the hob. Finished to a champagne color, these knobs are both luxurious and durable.



Flame Failure Device

The FFD automatically shuts off the gas should the flame be accidentally extinguished. The Mikuni FFD is exceptionally fast-acting, and is equipped with an individual earth point for extra reliability in a greasy environment.



Tempered Glass Top

The tempered glass top is easy to clean and stays flawless even after years of use. Tested to Singapore SS72 & Australia AG 101, the glass material carries a factory lifetime warranty for complete peace of mind.



Cast Iron Trivets

As in commercial cooking equipment, NEWMATIC built-in hobs are equipped, as standard, with heavy cast iron trivets for reliability & safety. You can cook with larger & heavy pots in complete confidence.



90cm Built-in Gas Hob

PM950STX

Features
304 stainless steel top
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
1 x Rapid burner 2.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW



90cm Built-in Gas Hob

PM950STGB

Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
1 x Rapid burner 2.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW

90CM




90cm Built-in Gas & Ceramic Hob

PM941VSTGB

Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Auto-ignition by electricity
Flame failure device (FFD)
Zinc alloy knobs & spacer
Residual heat indicator
9 levels of radiant power

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
1 x Rapid burner 2.4kW
1 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW
1 x Ceramic hob (ϕ145mm,1200W)






70cm Built-in Gas Hob

PM720STTGB

Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knob & spacer

Specifications
Gas type: LPG
Rated Heat:
2 x Triple ring burner 3.4kW



70CM




90cm Built-in Gas Hob

PM730STTGB

Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
2 x Triple ring burner 3.4kW
1 x Semi-rapid burner 1.8kW






70cm Built-in Gas Hob

PPM720STTG-H

Features
Tempered glass top with lifetime warranty
Cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
2 x Triple ring burner 3.4kW






70cm Built-in Gas Hob

PM720STTX

Features
304 stainless steel top
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition(1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
2 x Triple ring burner 3.4kW



70CM





70cm Built-in Gas Hob

PM730STTX

Features
304 stainless steel top
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
2 x Triple ring burner 3.4kW
1 x Semi-rapid burner 1.8kW






68cm Built-in Induction & Ceramic Hob

PS720VI

Features
Ceramic radian & induction hob
Sliding sensor touch control
Digital display
220~240V, 50/60Hz

Specifications
Rated Heat:
1 x Induction hob (Max. 1800W)
1 x Ceramic hob (Max. 1800W)
Total max power: 2800W



60CM




60cm Built-in Gas Hob

PM640STX-N

Features
304 stainless steel top
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition(1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW






60cm Built-in Gas Hob

PM640STGB-N

Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition (1.5V)
Zinc alloy knob & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW






60cm Built-in Gas & Ceramic Hob

PM631VSTGB


Features
Tempered glass top with lifetime warranty
Heavy duty cast iron trivets
Flame failure device (FFD)
Auto-ignition by electricity
Zinc alloy knobs & spacer
Residual heat indicator
9 levels of radiant power

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
1 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW
1 x Ceramic hob (ϕ145mm,1200W)



60\30CM







30cm Built-in Gas Hob

PM320SX

Features
304 stainless steel top
Heavy duty cast iron trivets
Flame failure device (FFD)
Battery ignition(1.5V)
Zinc alloy knobs & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Rapid burner 2.4kW
1 x Semi-rapid burner 1.8kW





30cm Built-in Induction Hob

PM302I

Features
Sensor touch control
9-stage cooking power setting
99-minute digital timer
Child safety lock
Residual heat indicator
Boost function

Specifications
Total power 3500W:
Front: ϕ160mm, 1500/1800W (Boost)
Rear: ϕ180mm, 2000/2300W (Boost)




60cm Built-in Induction Hob

PM604I

Features
Sensor touch control
9-stage cooking power setting
99-minute digital timer
Child safety lock
Residual heat indicator
Boost function

Specifications
Total power 7000W:
Front left: ϕ140mm, 1500/1800W (Boost)
Rear left: ϕ210mm, 2000/2300W (Boost)
Front right: ϕ210mm, 2000/2300W (Boost)
Rear right: ϕ140mm, 1500/1800W (Boost)






OVEN

Triple glazed glass doors for complete safety & peace of mind.



Tangential Ventilation

The oven is limited to a manageable temperature that ensures durability of components and protects the surrounding furniture.



Soft Touch, Multi-angle Door

Special spring assisted hinges allow the door to be closed without abrupt slamming.

The same hinges support the oven door to at any angle desired.



Cool Touch Door

Triple glazed glass doors make NEWMATIC oven completely safe to touch during cooking.


An important consideration especially when there are curious little tots around the kitchen.

MULT-FUNCTION SELECTOR



Forced Air

Uses a combination of fan and bottom heat. This is ideal for anything that needs a crispy underside like pizzas, or speciality breads. It can also be used for one stage pastry such as lemon meringue pie, eliminating the need for blind baking.



Bread Baking

The bread baking temperature varies between 180 ˚C and 220 . This is ideally suited to baking crusty bread with an open texture. Up to three levels of bread can be baked at the same time.




Top/bottom Heat

With top and bottom heat, this function uses natural conduction to heat the centre of the oven, making it perfect for baking pastries and scones.



Bottom Heat

Providing heat from the bottom of the oven only, for more focused heat and control. This method is ideal for pizza bases and pastry cases where you need a crispy underside or bain-marie and casseroles.



Defrost

The fan will circulate air through the oven to speed up defrosting times. Ideal for delicate foods as well as fish and poultry.



Full Surface Grill

The grill element is situated in the oven roof. It is thermostatically controlled and will cycle on and off to maintain the required temperature.

Centre Surface Grill

You can use just the centre section of the grill for smaller quantities.



Roasting

The grill element cycles on and off alternately, and the fan distributes the heat produced by the grill. This method can reduce cooking times by 35% ~40% and is ideal for meats and poultry if you are after a rotisserie result.



Air Fryer

The air fryer is the newest technology , it targets food with fast, super-heated air from every direction to take your food from frozen to golden in minutes with little to no oil!




Multifunction Oven with 11 Cooking Programs

FM6113T

A

Features
65L built-in touch control multifunction oven
Energy class A
LCD display
Total power 2800W
AC220V/50Hz
Triple coated glass door







Multifunction Oven with 7 Cooking Programs

FM673

A

Features
65L built-in multi function oven
Energy class A
Mechanical timer
Zinc alloy knobs and spacer
Total power 2800W
AC220V/50Hz
Triple coated glass door






Electric Oven with 4 Cooking Programs

FE633

A

Features
65L built-in electric oven
Energy class A
Total power 2200W
AC220V/50Hz
Double coated glass door






28L Built-in Microwave Oven

28EPS

Features
Sensor touch control
Large capacity
Microwave, grill & combi functions
Food grade 304 stainless steel cavity
LED display
Electric auto open door





SINK

Newmatic
















Topmount Kitchen Sink




SINGLE 45

Finish	Size(mm)	Accessories
Stainless Steel	φ450 x D180	A07+B11



Topmount Kitchen Sink




DOUBLE 82

Finish	Size(mm)	Accessories
Stainless Steel	L820 x W435 x D240	A07+B10



Topmount Handcrafted Kitchen Sink




DOUBLE H84

Finish	Size(mm)	Accessories
Stainless Steel	L840 x W480 x D230	A07+B10+P17D+P30D




Topmount Black Quartz Kitchen Sink



DOUBLE Q88

Finish	Size(mm)	Accessories
Black Quartz	L820 x W460 x D210	A07+B10






Topmount Kitchen Sink

DOUBLE 116

Finish	Size(mm)	Accessories
Stainless Steel	L1160 x W485 x D240	A07+B10






Topmount Kitchen Sink

DOUBLE 118

Finish	Size(mm)	Accessories
Stainless Steel	L1180 x W500 x D240	A07+B10






Topmount Kitchen Sink

DOUBLE 100

Finish	Size(mm)	Accessories
Stainless Steel	L1000 x W500 x D230	A07+B10+P17E+P30E






Topmount Black Quartz Kitchen Sink

DOUBLE Q116

Finish	Size(mm)	Accessories
Black Quartz	L1160 x W500 x D210	A31+B25+P17E+P30E






Undermount Handcrafted Kitchen Sink

DOUBLE HU78

Finish	Size(mm)	Accessories
Stainless Steel	L780 x W450 x D230	A07+B10





Topmount Handcrafted Kitchen Sink

DOUBLE H120

Finish	Size(mm)	Accessories
Stainless Steel	L1200 x W500 x D230	A07+B10+P17E+P30E

NEWMATIC TAPS



T08MF



T08MF-BG



T14MF



T03C



T04MF



T02M



Newmatic

Coffee Machine

In our daily lives, many of the conversations happen over a coffee, both with family members and guests. The professional quality coffee made by a Newmatic coffee machine is not only good for everyone's mood, it's good for business too.



BT-COF 203

Features
One-touch brewing for 16 beverages
7-level bean grinder
HD touch screen
Automated milk frothing
Stainless steel cup warmer
Alerts for water and bean refills
Notification for full coffee grounds
Customizable beverage settings
Beverage count memory
Auto-rinse on startup and shutdown
Customizable production
Multi-language support


Specifications
Rated Input: AC220V/50Hz
Power: 1300W
Brewing Unit Capacity: 9.5-13.5g
Water Tank Volume: 1.7L
Bean Tank Volume: 250g
Grounds Tank Volume: 12pcs
Size(mm): L475 x W246 x H370



HIGH DEFINITION TOUCH SCREEN



ADJUSTABLE GRINDER



FRESS MILK FOAMING



BT-COF 205

Features
6 preset coffee menus
Stainless steel cup warmer
Alerts for water and bean refills
Notification for full coffee grounds
Customizable beverage settings
Beverage count memory
Auto-rinse on startup and shutdown
7-level bean grinder
With milk frother
Multi-language support



BT- COF 206

Features
3 preset black coffee menus
Stainless steel cup warmer
Alerts for water and bean refills
Notification for full coffee grounds
Customizable beverage settings
Beverage count memory
Auto-rinse on startup and shutdown
7-level bean grinder
Multi-language support

COFFEE MACHINE





KITCHEN PANTRY BK7160

Material:
Stainless Steel
Finish:
Primary Color
Size:
D500 x W564 x H(1650-1950)mm

Transform Your Kitchen with NEWMATIC Advanced Pull-Out Baskets

German Engineering at its Best

Experience superior durability with our dual-wheel dampened guide rail, equipped with a cushioned rebound feature.

Maximize Your Cabinet Space

Turn cabinets into spacious warehouses! Multi-tiered storage suitable for wines, snacks, condiments, kitchen tools, and more.

90° Innovative Linkage

Convenient and user-friendly opening mechanism for easy access.

Stress-Free Load-Bearing

Robust and steady, our pull-out system ensures easy glide without straining, giving you peace of mind with every pull.

ORGANIZER


Newmatic



DISHWARE DRAWER BASKET

Material:
201 Stainless Steel
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 3080	W735 x D465 x H190mm	800mm



COOKWARE DRAWER BASKET

Material:
201 Stainless Steel
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 3081	W735 x D465 x H190mm	800mm



KITCHEN DRAWER BASKET

Material:
Stainless Steel & Tempered Glass
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 4380	W860 x D520 x H580mm	800-900mm



PULL OUT DRAWER BASKET

Material:
201 Stainless Steel
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 3405	W150 x D430 x H450mm	200mm



TRASH BINS

Material:
Plastic & Iron
Finish:
Grey

ITEM NO.	mm	mm
BK. 9220	D480 x W335 x H420mm (20L x 2)	400mm



TRASH BINS

Material:
Plastic & Iron
Finish:
Grey

ITEM NO.	mm	mm
BK. 9230	D480 x W385 x H520mm (30L x 2)	450mm



SINK CABINET PULL-OUT SHELVES

Material:
Stainless Steel & Tempered Glass
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 1340	W260 x D430 x H425mm	



SINK CABINET DRAWER BASKET

Material:
Stainless Steel & Tempered Glass
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 1380	W714 x D430 x H170mm	800mm



KITCHEN DRAWER BASKET

Material:
Stainless Steel & Tempered Glass
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 3201	W514 x D430 x H170mm	600mm



CORNER KIDNEY TRAY

Material:
Iron
Finish:
Chrome Coated


ITEM NO.	mm	mm
BK. 4010 L/R	L425 x W350 x H457mm	400mm



PULL-DOWN HYDRAULIC PANTRY

Material:
Stainless Steel
Finish:
Grey Powder Coated

ITEM NO.	mm	mm
BK. 6110	W765 x D280 x H560mm	800mm



ADJUSTABLE PULL-DOWN PANTRY

Material:
Steel & MDF
Finish:
Grey Powder Coated /Chrome Plated

ITEM NO.	mm	mm
BK. 6080	W764 x D260 x H545mm	800mm



TALL PULL-OUT PANTRY

Material:
Stainless Steel
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 7130	L500 x W250 x H (1700-2000)mm	300mm (6 Layers)



PULL-OUT PANTRY


Material:
Stainless Steel
Finish:
Primary Color

ITEM NO.	mm	mm
BK. 7145	L500 x W414 x H (1450-1750)mm	500mm (5 Layers)



CUTLERY TRAY

Material: ABS
Finish: Dark Grey
Drawer Width: 450mm




ITEM NO.	Width(mm)		Depth(mm)		Height (mm)
	Min.	Max.	Min.	Max.	
BK. 2450	340	400	420	490	55



CUTLERY TRAY

Material: ABS
Finish: Dark Grey
Drawer Width: 900mm




ITEM NO.	Width(mm)		Depth(mm)		Height (mm)
	Min.	Max.	Min.	Max.	
BK. 2800	690	750	420	490	55




CUTLERY TRAY

Material: ABS
Finish: Dark Grey
Drawer Width: 900mm



ITEM NO.	Width(mm)		Depth(mm)		Height (mm)
	Min.	Max.	Min.	Max.	
BK. 2900	790	850	420	490	55



KNIFE RACK

Material: ABS
Finish: Dark Grey

Fit to the 100mm slot of the tray from 500N to 1200N

ITEM NO.	Width(mm)	Depth(mm)	Height (mm)
BK. 2NR	100	420	50





Robotic Spice Cabinet 60cm

ITEM NO.: BK. 5360

Features
Touch control/ voice control
Intelligent anti-pinch system
Motorized lifting up & down
Aluminum alloy material

Specifications
620mm double-row shelve x 1
300mm single-row shelve x 1
200mm single-row shelve x 1
Hook: 13pcs



Robotic Spice Cabinet 80cm

ITEM NO.: BK. 5380

Features
Touch control/ voice control
Intelligent anti-pinch system
Motorized lifting up & down
Aluminum alloy material

Specifications
720mm double-row shelve x 1
400mm single-row shelve x 1
200mm single-row shelve x 1
Hooks: 13pcs




COUNTERTOP

20MM QUARTZ




DREAM



CLIFF

CALACATTA



ICECRACK




STAR BLACK




INTERSTELLAR

12MM SINTERED STONE



ROMAN



SLATE



TITANIUM



SHAKESPEARE



SCULPTURE

SPLASHBACK



Paint Splash Digital Printed

– 600 x 750 x 6mm
– 900 x 750 x 6mm



Rainbow Smoke on Black

– 600 x750 x 6mm
– 900 x750 x 6mm



Peppers and Chilli

– 600 x 750 x 6mm
– 900 x 750 x 6mm



Rainbow Wave

– 600 x 750 x 6mm
– 900 x 750 x 6mm



Dandelion Ballerinas On White

– 600 x 750 x 6mm
– 900 x 750 x 6mm



Red and White Wine

– 600 x 750 x 6mm
– 900 x 750 x 6mm



London Fashion on White

– 600 x 750 x 6mm
– 900 x 750 x 6mm



Newmatic
BUILDER SERIES

Hardworking and competitively priced products custom to the construction industry.

These models are manufactured in the same facility with the same quality standards but with simpler features that are easy to use & extremely durable.

Available on indent basis.



90cm Glass Island Hood

H95.9P

Features
90cm stainless steel island hood
3-speed push button control
5-layer washable aluminum grease filters
Stainless steel seamless chimney

Specifications
Lighting: LED lamp 2 x 2W
Motor input power: 138W
Air flow: 760m³/h
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



90cm Stainless Steel Pyramid Wall Hood

HT33.9P

Features
90cm stainless steel wall hood
3-speed push button control
5-layer washable aluminum grease filters
Stainless steel seamless technological design

Specifications
Lighting: LED lamp 1 x 1.5W
Motor input power: 75W
Air flow: 550m³/hr
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



60cm Stainless Steel Pyramid Wall Hood

HT33.6P

Features
60cm stainless steel wall hood
3-speed push button control
5-layer washable aluminum grease filters
Stainless steel seamless technological design

Specifications
Lighting: LED lamp 1 x 1.5W
Motor input power: 75W
Air flow: 550m³/hr
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)



60cm Stainless Steel Under Cabinet Hood

HT17.6P

Features
60cm stainless steel under cabinet hood
3-speed push button control
3-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 1 x 2W
Motor input power: 2 x 75W
Air flow: 400m³/hr
Outlet diameter: ϕ120mm
Noise level: ⩽58dB(A)

Options
90 cm width is available.



90cm Stainless Steel Wall Hood

HT75.9P

Features
90cm wall mounted hood with glass canopy
3-speed push button control
5-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 1 x 2W
Motor input power: 120W
Air flow: 450m³/hr
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)

Options
60 cm width is available.



90cm Stainless Steel Wall Hood

HT61.9P

Features
90cm wall mounted hood
3-speed push button control
5-layer washable aluminum grease filters

Specifications
Lighting: LED lamp 1 x 2W
Motor input power: 120W
Air flow: 450m³/hr
Outlet diameter: ϕ150mm
Noise level: ⩽58dB(A)

Options
60 cm width is available.




60cm Built-in Gas Hob

PM640TX-1

Features
304 stainless steel top
Heavy duty cast iron trivets
Battery ignition(1.5V)
Zinc alloy knob & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW






90cm Built-in Gas Hob

PM950TX-1

Features
304 stainless steel top
Heavy duty cast iron trivets
Battery ignition(1.5V)
Zinc alloy knob & spacer

Specifications
Gas type: LPG
Rated Heat:
1 x Triple ring burner 3.4kW
1 x Rapid burner 2.4kW
2 x Semi-rapid burner 1.8kW
1 x Auxiliary burner 1.0kW






20L Built-in Microwave Oven

20PM

Features
Mechanical control
Microwave function
Digital clock & timer
304 Stainless steel cavity, 20L
Digital clock display
LED display








60cm Fully-intergrated Dishwasher



DW12INT-2

A++

Features
Fully built-in dishwasher
6 programs: ECO/Glass/90min
/Rapid/Intensive/Normal
12 place-settings
D class 49dBA
Two layer baskets
Manual adjustable upper basket
Half load function





Singapore
Singapore Showroom:
#06-13 Atrix Building Singapore 388409
Tel : +65 8883 8677

China
Guangdong Office:
26-12 Dongle Huayuan Daliang Shunde Foshan
Guangdong China
Tel : +86 187 6758 7603

Tanzania
HQ/ Dar Es Salaam Showroom:
Mikocheni Light Industrial Area
ITV Junction Dar es Salaam Tanzania
Tel : +255 764 740 972

Ten West Showroom:
10 Vingunguti Road, Dar es Salaam Tanzania
Tel: +255 674 217 670

Uganda
HQ/ Kampala Showroom:
Plot No.84/88 7th street Industrial area,
Kampala Uganda
Tel : +256 759 736 614

Ntinda Showroom:
Intersection of Ntinda-kisasa Road and
Kigobi Road (Ntinda Traffic Light)
Ntinda Kampala Uganda
Tel: +256 784 423 331

South Sudan
Juba Showroom:
Plot 6 Samer International Building
(Opposite Juba University roundabout)
Alta-Bara Juba South Sudan
Tel: +211 922 323 150

Brunei
Brunei Showroom:
GoodHome
Unit No Gs1 Ground Floor Block C Edr No 16338
Lot No 16552 Kpg Sungai Tilong Mukim Berakas
Brunei Muara District
Tel: +673 234 5598
+673 234 1558

Kenya
HQ / Lavington Showroom:
James Gichuru Road (Near Muthangari Police Station)
Tel : +254 711 477 711

Mombasa Road Showroom:
Kellico Complex Nairobi Kenya
Tel : +254 719 331 818

Kiambu Showroom:
Kiambu Road Nairobi Kenya
Tel: +254 111 913 341

Kisumu Showroom:
Obote Rd Opposite Chloride Exide
Tel: +254 743 572 321

Mombasa Showroom:
Amal Plaza Nyali Mombasa Kenya
Tel: +254 768 864 596

Nakuru Showroom:
Lower K.S. Bedi Road Kakuru Town Kenya
Tel: +254 715 700 800

Eldoret Showroom:
Eagle Hardware Distributors Kisumu Road Eldoret Kenya
Tel: +254 717 984 418

Nigeria
HQ/ Victoria Island Showroom:
27 Karimu Kotun Street Victoria Island Lagos Nigeria
Tel: +234 707 897 7347

Angola
HQ/ Luanda Showroom:
Estr Lar Patriota Talatona Luanda Angola
Tel: +244 946 999 362